

Sonettic-Cinema configuration guide

Player events

© 2008 Sonettic
www.sonettic-cinema.com

Contents

1. Player Events	4
2. Set Media Content	4
3. Player Events	4
4. Player GUI Available Events	5
5. Media Events	6
6. Media Error Events	9
7. Media Poster Controller Events	10
8. Playback Buffer Events	10
9. Playback Seek Events	11
10. Media Metadata Events	13
11. NetConnection Events	13
12. Loader Events	14
13. Sound Controller Events	15
14. Mouse on Stage Events	16
15. Visual Media Module Events	17
16. Zoom Holder Module Events	18
17. Player Logo Events	20
18. Fullscreen Manager Events	21
19. Copy Player Embed Code and Player Link Events	21
20. Bubble Controller Events	22
21. Listing Viewer Events	23
22. Playlist Events	26
23. Remote Listing Viewer Events (JS API or SWF)	29
24. Content Queue Manager Events	29
25. Keyboard Controller Events	31
26. ADS Module Events	32
27. Main Menu Events	34
28. Submenu Events	36

29. Timeline Events	36
30. Chapter Viewer Events	37
31. GUI Controls Events	40
32. Listing Viewer Buttons Events	40
33. Next / Previous Playlist Content Buttons Events	41
34. Next / Previous Chapters Buttons Events	42
35. Timeline Button Events	44
36. Fullscreen Button Events	45
37. Sound Button Events	45
38. Copy Embed Code and Copy Video Page Link Button Events	46
39. Submenu Button Events	46
40. Zoom Button Events	47

Player Events

The complete list of player events with which help you can provide interaction from JavaScript API or by development of extensions for a player.

Set Media Content

Set Media Content	
String Identify	Data
playerSetNewContent	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerSetNewContent" MediaEvent.target = Current Event Owner MediaEvent.data = Playlist Item Object
Listener: com.sonettic.modules.MediaContentManager Description: Set content to player playback	
playerSetNewXMLContent	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerSetNewXMLContent" MediaEvent.target = Current Event Owner MediaEvent.data = Single Item MRSS feed
Listener: com.sonettic.modules.MediaContentManager Description: Set content to player playback	

Player Events

Player Events	
String Identify	Data
playerCreated	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerCreated" MediaEvent.target = main MediaEvent.value = null
Listener: any objects Description: Set content to player playback	
playerSetSkin	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerSetSkin" MediaEvent.target = com.sonettic.GUI.skins.SkinManager MediaEvent.data = null
Listener: any objects Description: Skin was set	

Player GUI Available Events

Player GUI Available Events	
String Identify	Data
playerUIActivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerUIActivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Order to activate player GUI controls	
playerUIDeactivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerUIDeactivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Order to deactivate player GUI	
playerUIDisabledActivation	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerUIDisabledActivation" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Prohibition player GUI activation	
playerUIEnabledActivation	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerUIEnabledActivation" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Allow player GUI activation	
playerUIDisabledAndDeactivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerUIDisabledAndDeactivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Disable and deactivate player GUI	
playerSilenceStartOn	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playerSilenceStartOn" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Disable MEDIA_STOP_STARTPOSITION event dispatch	

Media Events

Media Events	
String Identify	Data
mediaModeLive	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaModeLive" MediaEvent.target = com.sonettic.media.SntVideo MediaEvent.value = null
Listener: com.sonettic.holders.SntLiveLabelHolder Description: Event occur when content is RTMP LIVE stream	
mediaModeOrdinary	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaModeOrdinary" MediaEvent.target = com.sonettic.media.mvideo.SntVideo MediaEvent.value = null
Listener: com.sonettic.holders.SntLiveLabelHolder Description: Event occur when content is not RTMP LIVE stream	
mediaNewSet	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaNewSet" MediaEvent.target = com.sonettic.media.SntVideo MediaEvent.value = null
Listener: any objects Description: Event occur when new media content was set	
mediaContentItem	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaContentItem" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = Playlist Item Object or Media Content path
Listener: any objects Description: Event occur when new content was set to Media Player	
mediaStart	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaStart" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Translate NetStream event "NetStream.Play.Start" to MediaEvent "mediaStart"	
mediaPlayFromPosition	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPlayFromPosition" MediaEvent.target = current event target MediaEvent.value = Number (seconds)

Listener: com.sonettic.media.SntVideo	
Description: Play media from seconds	
mediaSetDuration	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaSetDuration" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = Number (seconds)
Listener: any objects	
Description: Dispatch Media Duration value	
mediaPlay	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPlay" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects	
Description: Event occur when playback starting play	
mediaAutoPlay	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaAutoPlay" MediaEvent.target = com.sonettic.media.SntVideo MediaEvent.value = null
Listener: any objects	
Description: Event occur when playback starting play without play button click	
mediaPause	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPause" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects	
Description: Event occur when playback paused	
mediaStop	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaStop" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects	
Description: Event occur when playback stopped	
mediaPauseNotify	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPauseNotify" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null

<p>Listener: any objects</p> <p>Description: Translate NetStream event "NetStream.Pause.Notify" to MediaEvent "mediaPauseNotify"</p>	
<p>mediaUnPauseNotify</p>	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "mediaUnPauseNotify"</p> <p>MediaEvent.target = com.sonettic.media.mvideo.VideoController</p> <p>MediaEvent.value = null</p>
<p>Listener: any objects</p> <p>Description: Translate NetStream event "NetStream.Unpause.Notify" to MediaEvent "mediaUnPauseNotify"</p>	
<p>mediaUnPause</p>	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "mediaUnPause"</p> <p>MediaEvent.target = com.sonettic.media.mvideo.VideoController</p> <p>MediaEvent.value = null</p>
<p>Listener: any objects</p> <p>Description: Event occur when playback unpaused</p>	
<p>mediaStopStartPosition</p>	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "mediaStopStartPosition"</p> <p>MediaEvent.target = com.sonettic.media.SntVideo</p> <p>MediaEvent.value = null</p>
<p>Listener: any objects</p> <p>Description: Event occur when playback stopped in start position</p>	
<p>mediaComplete</p>	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "mediaComplete"</p> <p>MediaEvent.target = com.sonettic.media.mvideo.VideoController</p> <p>MediaEvent.value = null</p>
<p>Listener: any objects</p> <p>Description: Event occur when playback complete</p>	
<p>mediaResize</p>	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "mediaResize"</p> <p>MediaEvent.target = com.sonettic.media.mvideo.VideoController</p> <p>MediaEvent.value = null</p>
<p>Listener: com.sonettic.holders.SntZoomHolder</p> <p>Description: Event occur when playback resized</p>	
<p>mediaStateChange</p>	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "mediaResize"</p> <p>MediaEvent.target = com.sonettic.media.mvideo.VideoController</p> <p>MediaEvent.value = null</p>

Listener: any objects
Description: Event occur every second

Media Error Events

Media Error Events	
String Identify	Data
mediaError	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaError" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BError Description: Some Media Event occur	
mediaNotFound	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaNotFound" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BError Description: Media Not Found	
mediaPlayFailed	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPlayFailed" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BPlayError Description: Media couldn't play	
mediaSecurityError	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaSecurityError" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BSecureError Description: Security Error	

Media Poster Controller Events

Media Poster Controller Events	
String Identify	Data
mediaPosterLoaded	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPosterLoaded" MediaEvent.target = com.sonettic.media.SntVideo MediaEvent.value = null
Listener: any objects Description: Media Poster loaded	
mediaPosterLoadFailed	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPosterLoadFailed" MediaEvent.target = com.sonettic.media.SntVideo MediaEvent.value = null
Listener: any objects Description: Media Poster load failed	
mediaPlayFailed	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaPosterLoadFailed" MediaEvent.target = com.sonettic.media.SntVideo MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Remove Media Poster	

Playback Buffer Events

Playback Buffer Events	
String Identify	Data
mediaBufferFlush	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaBufferFlush" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Playback Buffer flush	

mediaBufferEmpty	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaBufferEmpty" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BBuffering Description: Playback Buffer Empty	
mediaBufferFull	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaBufferFull" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BBuffering Description: Playback Buffer Full	
mediaBufferChange	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaBufferChange" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BBuffering Description: Playback Buffer value was changed	
mediaCheckBuffer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaCheckBuffer" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.mvideo.VideoControler Description: Playback should check Buffer	

Playback Seek Events

Playback Seek Events	
String Identify	Data
mediaSeekInvalidTime	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaSeekInvalidTime" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Playback couldn't play from seek value	

mediaSeekNotify	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaSeekNotify" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Translate NetStream event "NetStream.Seek.Notify" to MediaEvent "mediaSeekNotify"	
mediaSeek	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaSeek" MediaEvent.target = Current Event Owner MediaEvent.value = Number (seconds)
Listener: com.sonettic.media.SntVideo Description: Set Playhead position	
mediaSeekSet	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaSeekSet" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Set Playhead new position was set	
mediaHTTPBufferSeek	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaHTTPBufferSeek" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Set playhead time position. HTTP Progressive Download or HTTP Stream. Jump through loaded video part	
playheadPositionDecrement	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playheadPositionDecrement" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Decrement playhead time	
playheadPositionIncrement	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "playheadPositionIncrement" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Increment playhead time	

Media Metadata Events

Media Metadata Events	
String Identify	Data
mediaMetadata	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaMetadata" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = Metadata Object Metadata.duration - Video Duration value Metadata.width - Video width Metadata.height - Video Height Metadata.proportion- Width / Height Metadata.realtotalbytes - Video Bytes Total
Listener: any objects Description: Media Metadata Arrived	
mediaMetadataEmpty	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaMetadataEmpty" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Media Metadata is Empty	
mediaMetadataUncomplete	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaMetadataUncomplete" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = Metadata Object Metadata.duration - Video Duration value Metadata.width - Video width Metadata.height - Video Height Metadata.proportion- Width / Height Metadata.realtotalbytes - Video Bytes Total
Listener: any objects Description: Media Metadata is uncompleted	

NetConnection Events

Media Metadata Events	
String Identify	Data

mediaConnectSuccess	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaConnectSuccess" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Translate NetConnection event "NetConnection.Connect.Success" to MediaEvent "mediaConnectSuccess"	
mediaConnectFailed	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaConnectFailed" MediaEvent.target = com.sonettic.media.mvideo.VideoController MediaEvent.value = null
Listener: any objects Description: Translate NetConnection event "NetConnection.Connect.Failed" to MediaEvent "mediaConnectFailed"	

Loader Events

Loader Events	
String Identify	Data
loadingStart	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "loadingStart" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BLoader Description: Show Loader Bubble	
loadingComplete	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "loadingComplete" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BLoader Description: Hide Loader Bubble	
loadingError	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "loadingError" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BLoader Description: Hide Loader Bubble	

loadingStop	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "loadingStop" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BLoader Description: Hide Loader Bubble	
loadingProgress	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "loadingProgress" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo Description: Show Loading progress: var total:Number= e.data.target.totalbytes; var loaded:Number= e.data.target.loadedbytes;	
loadingToBytes	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "loadingToBytes" MediaEvent.target = Current Event Owner MediaEvent.value = Numbers (bytes)
Listener: com.sonettic.media.SntVideo; com.sonettic.GUI.bubblecontrols.BLoader Description: Load Media to bytes Used with Progressive download stream type when seek value more as video loaded	

Sound Controller Events

Sound Controller Events	
String Identify	Data
soundValueSet	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "soundValueSet" MediaEvent.target = Current Event Owner MediaEvent.value = Numbers (volume value)
Listener: any objects Description: Set Volume Value	
soundValueIncrement	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "soundValueIncrement" MediaEvent.target = Current Event Owner MediaEvent.value = null

Listener: com.sonettic.media.GlobalSoundController	
Description: Increment Volume Value	
soundValueDecrement	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "soundValueDecrement" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.GlobalSoundController	
Description: Decrement Volume Value	
soundValueChange	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "soundValueDecrement" MediaEvent.target = com.sonettic.media.GlobalSoundController MediaEvent.value = Number (volume value)
Listener: any objects	
Description: Volume Value changed	
soundMute	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "soundMute" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.GlobalSoundController	
Description: Mute Sound	
soundUnMute	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "soundUnMute" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.GlobalSoundController	
Description: Unmute Sound	

Mouse on Stage Events

Mouse on Stage Events	
String Identify	Data
stageMouseMove	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "stageMouseMove" MediaEvent.target = main.Stage MediaEvent.value = null

Listener: any objects	
Description: Mouse move on Stage	
stageMouseLeave	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "stageMouseLeave" MediaEvent.target = main.Stage MediaEvent.value = null
Listener: any objects	
Description: Mouse leave Stage	

Visual Media Module Events

Visual Media Module Events	
String Identify	Data
mediaDestroy	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaDestroy" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo	
Description: Unload current video content	
mediaShow	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaShow" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo	
Description: Show Media Module (Video Holder)	
mediaHide	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaHide" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.SntVideo	
Description: Hide Media Module (Video Holder)	

Zoom Holder Module Events

com.sonettic.holders.SntZoomHolder (Zoom Holder contain Video Module)

Visual Media Module Events	
String Identify	Data
zoomValueSet	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "zoomValueSet" MediaEvent.target = Current Event Owner MediaEvent.value = Number
Listener: any objects Description: Zoom video by percent from SntZoomHolder. sample : 90	
zoomStart	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "zoomStart" MediaEvent.target = com.sonettic.holders.SntZoomHolder MediaEvent.value = TransformObject TransformObject.width = Number; TransformObject.height = Number; TransformObject.x = Number; TransformObject.y = Number;
Listener: any objects Description: Zoom begin	
zoomFinish	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "zoomFinish" MediaEvent.target = com.sonettic.holders.SntZoomHolder MediaEvent.value = TransformObject TransformObject.width = Number; TransformObject.height = Number; TransformObject.x = Number; TransformObject.y = Number;
Listener: any objects Description: Zoom finish	
zoomGoing	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "zoomGoing" MediaEvent.target = com.sonettic.holders.SntZoomHolder MediaEvent.value = TransformObject TransformObject.width = Number; TransformObject.height = Number; TransformObject.x = Number; TransformObject.y = Number;
Listener: any objects Description: Zooming	

zoomingAllowed	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "zoomingAllowed"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = Boolean (true / false)</p>
<p>Listener: com.sonettic.holders.SntZoomHolder</p> <p>Description: Set allow zoom flag</p>	
zoomValueIncrement	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "zoomValueIncrement"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = null</p>
<p>Listener: com.sonettic.holders.SntZoomHolder</p> <p>Description: Increment Video Module Zoom value</p>	
zoomValueDecrement	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "zoomValueDecrement"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = null</p>
<p>Listener: com.sonettic.holders.SntZoomHolder</p> <p>Description: Decrement Video Module Zoom value</p>	
zoomSwitchFit	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "zoomSwitchFit"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = null</p>
<p>Listener: com.sonettic.holders.SntZoomHolder</p> <p>Description: Zoom video from max value to minimum and back</p>	
transformSet	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "transformSet"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = TransformObject</p> <p style="padding-left: 40px;">TransformObject.width = Number;</p> <p style="padding-left: 40px;">TransformObject.height = Number;</p> <p style="padding-left: 40px;">TransformObject.x = Number;</p> <p style="padding-left: 40px;">TransformObject.y = Number;</p>
<p>Listener: com.sonettic.holders.SntZoomHolder</p> <p>Description: Transform video</p>	

transformStart	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "transformStart" MediaEvent.target = com.sonettic.holders.SntZoomHolder MediaEvent.value = TransformObject TransformObject.width = Number; TransformObject.height = Number; TransformObject.x = Number; TransformObject.y = Number;
Listener: any objects Description: Video transform begin	
transformFinish	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "transformFinish" MediaEvent.target = com.sonettic.holders.SntZoomHolder MediaEvent.value = TransformObject TransformObject.width = Number; TransformObject.height = Number; TransformObject.x = Number; TransformObject.y = Number;
Listener: any objects Description: Video transform finish	
transformGoing	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "transformGoing" MediaEvent.target = com.sonettic.holders.SntZoomHolder MediaEvent.value = TransformObject TransformObject.width = Number; TransformObject.height = Number; TransformObject.x = Number; TransformObject.y = Number;
Listener: any objects Description: Video transforming	

Player Logo Events

Player Logo Events	
String Identify	Data
hideLogo	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hideLogo" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.holders.SntLogoHolder Description: Hide player Logo	

showLogo	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "showLogo" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.holders.SntLogoHolder Description: Show player Logo	

Fullscreen Manager Events

Fullscreen Manager Events	
String Identify	Data
stageFullscreen	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "stageFullscreen" MediaEvent.target = com.sonettic.utilities.SntFullscreenUtils MediaEvent.value = null
Listener: any objects Description: Stage Fullscreen state entry	
stageExitFullscreen	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "stageExitFullscreen" MediaEvent.target = com.sonettic.utilities.SntFullscreenUtils MediaEvent.value = null
Listener: any objects Description: Stage Fullscreen state exit	

Copy Player Embed Code and Player Link Events

Fullscreen Manager Events	
String Identify	Data
embedCodeCopied	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "embedCodeCopied" MediaEvent.target = com.sonettic.utilities.EmbedCodeCreator MediaEvent.value = null
Listener: any objects Description: Player Embed Code copied	

linkCodeCopied	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "embedCodeCopied" MediaEvent.target = com.sonettic.utilities.LinkCodeCreator MediaEvent.value = null
Listener: any objects Description: Video Page Link copied	

Bubble Controller Events

com.sonettic.GUI.bubblecontrols.BubbleController

Bubble Controller Events	
String Identify	Data
hideBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hideBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Hide active Bubble Control	
clearAllBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "clearAllBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Clear active Bubble Controls stack	
clearAllBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "clearAllBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Clear active Bubble Controls stack	
disableBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "disableBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Disable Bubble Controller	

enableBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "enableBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Enabled Bubble Controller	
visibleOnBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "visibleOnBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Make Bubble Module visible	
visibleOffBubble	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "visibleOffBubble" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BubbleController Description: Make Bubbles Module invisible	
bubbleActivated	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "bubbleActivated" MediaEvent.target = com.sonettic.GUI.bubblecontrols.BubbleController MediaEvent.value = String (Current Bubble Control name)
Listener: any objects Description: Some Bubble Control activated	
bubbleDeactivated	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "bubbleDeactivated" MediaEvent.target = com.sonettic.GUI.bubblecontrols.BubbleController MediaEvent.value = String (Current Bubble Control name)
Listener: any objects Description: Some Bubble Control deactivated	

Listing Viewer Events

For internal or external if exist (com.sonettic.modules.listingviewers.ListingViewerComander)

Listing Viewer Events	
String Identify	Data
createdListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "createdListingViewer" MediaEvent.target = current listing viewer MediaEvent.value = null
Listener: any objects Description: current listing viewer created	
recreatedListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "recreatedListingViewer" MediaEvent.target = current listing viewer MediaEvent.value = null
Listener: any objects Description: current listing viewer recreated	
connectedListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "connectedListingViewer" MediaEvent.target = current listing viewer MediaEvent.value = null
Listener: any objects Description: current listing viewer connected to player	
listingViewerLoadError	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingViewerLoadError" MediaEvent.target = com.sonettic.modules.listingviewers.ListingViewerComander MediaEvent.value = null
Listener: any objects Description: External Listing viewer load failed	
listingViewerLoaded	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingViewerLoadError" MediaEvent.target = com.sonettic.modules.listingviewers.ListingViewerComander MediaEvent.value =null
Listener: any objects Description: External Listing viewer loaded	

showListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "showListingViewer" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: current listing viewer Description: Show Current Listing Viewer	
hideListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hideListingViewer" MediaEvent.target = Current Event Owner MediaEvent.value =null
Listener: current listing viewer Description: Hide Current Listing Viewer	
showingListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "showingListingViewer" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: any objects Description: Current Listing Viewer is showing	
hidingListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hidingListingViewer" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: any objects Description: Current Listing Viewer is hiding	
disableListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "disableListingViewer" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: any objects Description: Current Listing Viewer disabled	
enableListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "enableListingViewer" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: any objects Description: Current Listing Viewer enabled	

hideInternalListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hideInternalListingViewer" MediaEvent.target = com.sonettic.modules.listingviewers.ListingViewerComander MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.BListingViewer Description: Hide Internal Listing Viewer Bubble	
showInternalListingViewer	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "showInternalListingViewer" MediaEvent.target = com.sonettic.modules.listingviewers.ListingViewerComander MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.BListingViewer Description: Show Internal Listing Viewer Bubble	

Playlist Events

Playlist Events	
String Identify	Data
listingCreated	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingCreated" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Playlist created	
listingLoadError	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingLoadError" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Playlist load failed	
listingReCreated	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingReCreated" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Playlist refreshed	

listingClear	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingCleared" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Clear Playlist	
listingCleared	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingCleared" MediaEvent.target = Current Listing Viewer MediaEvent.value =null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Playlist cleared	
listingAddItem	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingAddItem" MediaEvent.target = Current Event Owner MediaEvent.value = XML (MRSS feed)
Listener: Current Listing Viewer Description: Single Item MRSS feed. Add Item to exist Playlist	
listingAddList	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingAddList" MediaEvent.target = Current Event Owner MediaEvent.value = XML (MRSS feed)
Listener: Current Listing Viewer Description: Add Items to exist Playlist	
listingAddNewList	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingAddNewList" MediaEvent.target = Current Event Owner MediaEvent.value = XML (MRSS feed)
Listener: Current Listing Viewer Description: Set New Playlist.	
listingLoadList	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "listingLoadList" MediaEvent.target = Current Event Owner MediaEvent.value = String Path to MRSS feed
Listener: Current Listing Viewer Description: Load Playlist and add to exist playlist	

listingLoadNewList	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "listingLoadNewList"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = String Path to MRSS feed</p>
<p>Listener: Current Listing Viewer</p> <p>Description: Load Playlist and add replace exist playlist</p>	
listingRemoveItem	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "listingRemoveItem"</p> <p>MediaEvent.target = Current Event Owner</p> <p>MediaEvent.value = Item ID</p>
<p>Listener: Current Listing Viewer</p> <p>Description: Remove Item by Item ID from playlist</p>	
listingChange	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "listingChange"</p> <p>MediaEvent.target = Current Listing Viewer</p> <p>MediaEvent.value = null</p>
<p>Listener: any objects</p> <p>Description: Playlist changed</p>	
firstListingItem	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "firstListingItem"</p> <p>MediaEvent.target = Current Listing Viewer</p> <p>MediaEvent.value = Number (item index)</p>
<p>Listener: any objects</p> <p>Description: Playlist first item selected</p>	
middleListingItem	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "middleListingItem"</p> <p>MediaEvent.target = Current Listing Viewer</p> <p>MediaEvent.value = Number (item index)</p>
<p>Listener: any objects</p> <p>Description: Playlist middle item selected</p>	
lastListingItem	<p>MediaEvent Object (com.sonettic.media.MediaEvent)</p> <p>MediaEvent.type = "lastListingItem"</p> <p>MediaEvent.target = Current Listing Viewer</p> <p>MediaEvent.value = Number (item index)</p>
<p>Listener: any objects</p> <p>Description: Playlist last item selected</p>	

Remote Listing Viewer Events (JS API or SWF)

This events for JavaScript Listing Viewer or separate Flash (SWF) Listing Viewer

Remote Listing Viewer Events for JavaScript Listing Viewer or separate Flash (SWF) Listing Viewer	
String Identify	Data
remoteListingConnected	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "remoteListingConnected" MediaEvent.target = Remote Listing Viewer MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Remote Listing Viewer connected	
remoteListingDisconnected	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "remoteListingDisconnected" MediaEvent.target = Remote Listing Viewer MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Remote Listing Viewer disconnected	

Content Queue Manager Events

com.sonettic.modules.listingviewers.QueueManager

Content Queue Manager Events	
String Identify	Data
mediaQueueActivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueActivate" MediaEvent.target = com.sonettic.modules.listingviewers.QueueManager MediaEvent.value = null
Listener: any objects Description: Queue Manager activated and available	

mediaQueueDeactivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueDeactivate" MediaEvent.target = com.sonettic.modules.listingviewers.QueueManager MediaEvent.value = null
Listener: any objects Description: Queue Manager deactivated and not available	
mediaQueueStop	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueStop" MediaEvent.target = com.sonettic.modules.listingviewers.QueueManager MediaEvent.value = null
Listener: any objects Description: Sequence play stopped	
mediaQueueStart	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueStart" MediaEvent.target = com.sonettic.modules.listingviewers.QueueManager MediaEvent.value = null
Listener: any objects Description: Sequence play beginning	
mediaQueueEnd	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueEnd" MediaEvent.target = com.sonettic.modules.listingviewers.QueueManager MediaEvent.value = null
Listener: any objects Description: Sequence play ended	
mediaQueueUIDisabled	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueUIDisabled" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: Queue Manager Buttons if exist Description: Queue Manager buttons disabled	
mediaQueueUIEnabled	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "mediaQueueUIEnabled" MediaEvent.target = Current Event Owner MediaEvent.value = null

Listener: Queue Manager Buttons if exist	
Description: Queue Manager buttons enabled	
uiQueueOn	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiQueueOn" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.QueueManager	
Description: Button Sequence play ON pressed	
uiQueueOff	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiQueueOff" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.QueueManager	
Description: Button Sequence play OFF pressed	

Keyboard Controller Events

com.sonettic.modules.KeyboardController

Keyboard Controller Events	
String Identify	Data
keyboardListenersDeactivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "keyboardListenersDeactivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.KeyboardController	
Description: Deactivate Keyboard Controller	
keyboardListenersActivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "keyboardListenersActivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.KeyboardController	
Description: Activate Keyboard Controller	

KEY_UP	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "KEY_UP" MediaEvent.target = com.sonettic.modules.KeyboardController MediaEvent.value = null
Listener: any objects Description: some key UP	
KEY_LEFT_UP	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "KEY_LEFT_UP" MediaEvent.target = com.sonettic.modules.KeyboardController MediaEvent.value = null
Listener: any objects Description: Key LEFT arrow UP	
KEY_LEFT_DOWN	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "KEY_LEFT_DOWN" MediaEvent.target = com.sonettic.modules.KeyboardController MediaEvent.value = null
Listener: any objects Description: Key LEFT arrow DOWN	
KEY_RIGHT_UP	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "KEY_RIGHT_UP" MediaEvent.target = com.sonettic.modules.KeyboardController MediaEvent.value = null
Listener: any objects Description: Key RIGHT arrow UP	
KEY_RIGHT_DOWN	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "KEY_RIGHT_DOWN" MediaEvent.target = com.sonettic.modules.KeyboardController MediaEvent.value = null
Listener: any objects Description: Key RIGHT arrow DOWN	

ADS Module Events

Only if ADs Module available.

com.sonettic.modules.AdsModuleHolder

ADS Module Events	
String Identify	Data

adsModuleSetItemAds	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleSetItemAds" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = Item.ads Object
Listener: com.sonettic.modules.AdsModuleHolder Description: Set to module playlist Item Ads	
adsModuleSetChannelAds	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleSetChannelAds" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = Item.channel.ads Object
Listener: com.sonettic.modules.AdsModuleHolder Description: Set to module playlist Channel Ads	
adsModuleClear	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleClear" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = null
Listener: com.sonettic.modules.AdsModuleHolder Description: Remove Current Ads	
adsModuleShow	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleShow" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.AdsModuleHolder Description: Show Ads	
adsModuleHide	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleHide" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.AdsModuleHolder Description: Hide Ads	
adsModuleRefresh	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.AdsModuleHolder Description: Refresh Ads Module content by last content path	

Main Menu Events

Only for CinemaGlow skin.

com.sonettic.GUI.skin.cinemaglow.CinemaGlow

Main Menu Events	
String Identify	Data
hideMainMenu	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleSetItemAds" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = Item.ads Object
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Hide Menu	
showMainMenu	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleSetChannelAds" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = Item.channel.ads Object
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Show Menu	
menuShowDirectionButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleClear" MediaEvent.target = com.sonettic.modules.MediaContentManager MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Show next previous content buttons in Menu	
menuHideDirectionButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleShow" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Hide next previous content buttons in Menu	
menuEnableDirectionButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleHide" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Enable next previous content buttons in Menu	

menuDisableDirectionButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Disable next previous content buttons in Menu	
menuShowListingButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Disable next previous content buttons in Menu	
menuHideListingButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Hide Listing Viewer button in Menu	
menuSetListingOverStopButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Show Listing Viewer Icon instead Stop Icon	
menuEnableListingButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Enable Listing Viewerbutton	
menuDisableListingButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "adsModuleRefresh" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Disable Listing Viewerbutton	

Submenu Events

com.sonettic.modules.submenu.SntSubmenu

Submenu Events	
String Identify	Data
submenuShow	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuShow" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.submenu.BSubmenu Description: Show Submenu	
submenuHide	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuHide" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.submenu.BSubmenu Description: Hide Submenu	
submenuButtonShow	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuButtonShow" MediaEvent.target = com.sonettic.modules.submenu.SntSubmenu MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Show Submenu Button in menu	
submenuButtonHide	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuButtonHide" MediaEvent.target = com.sonettic.modules.submenu.SntSubmenu MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Hide Submenu Button in menu	

Timeline Events

Only for CinemaGlow skin

com.sonettic.GUI.skin.cinemaglow.CinemaGlow

Timeline Events	
String Identify	Data
hideTimeLine	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuShow" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Hide Timeline	
showTimeLine	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuHide" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Show Timeline	
addTimeLineTimePoints	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuButtonShow" MediaEvent.target = com.sonettic.modules.submenu.SntSubmenu MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntTimeline com.sonettic.GUI.controlsui.SntTimeline Description: Add Time points to timeline	
clearTimeLineTimePoints	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "submenuButtonHide" MediaEvent.target = com.sonettic.modules.submenu.SntSubmenu MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntTimeline com.sonettic.GUI.controlsui.SntTimeline Description: Remove time points from timeline	

Chapter Viewer Events

It works only if ChapterViewer available in your player kit.

com.sonettic.modules.chaptersviewer.ChaptersViewer

Chapter Viewer Events	
String Identify	Data

modulePartsAvailable	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "modulePartsAvailable" MediaEvent.target = com.sonettic.modules.chaptersviewer.ChaptersViewer MediaEvent.value = null
Listener: any objects Description: Chapter Viewer available	
modulePartsUnavailable	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "modulePartsUnavailable" MediaEvent.target = com.sonettic.modules.chaptersviewer.ChaptersViewer MediaEvent.value = null
Listener: any objects Description: Chapter Viewer unavailable	
modulePartsDeactivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "modulePartsDeactivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Deactivate Chapters Viewer	
modulePartsActivate	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "modulePartsActivate" MediaEvent.target = Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Activate Chapters Viewer	
partsShow	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "partsShow" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Show Chapters	
partsHide	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "partsHide" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Hide Chapters	

showChapterInfoDisplay	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "showChapterInfoDisplay" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.BChaptersViewer Description: Show Chapter info Bubble	
hideChapterInfoDisplay	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hideChapterInfoDisplay" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.BChaptersViewer Description: Hide Chapter info Bubble	
disablePartsButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "disablePartsButtons" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Disable next / previous chapter button	
enablePartsButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "enablePartsButtons" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Enable next / previous chapter button	
showPartsButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "showPartsButtons" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Show next / previous chapter buttons in Menu	
hidePartsButtons	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "hidePartsButtons" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.skins.cinemaglow.controlsui.SntMainUIControls Description: Hide next / previous chapter buttons in Menu	

GUI Controls Events

GUI Controls Events	
String Identify	Data
uiPlayClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPlayClick" MediaEvent.target =Current Event Owner (play button) MediaEvent.value = null
Listener: any objects Description: Play Button pressed	
uiPauseClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPauseClick" MediaEvent.target =Current Event Owner (pause button) MediaEvent.value = null
Listener: any objects Description: Pause Button pressed	
uiStopClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiStopClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: any objects Description: Stop Button pressed	

Listing Viewer Buttons Events

Listing Viewer Buttons Events	
String Identify	Data
uiListingViewerShowClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiListingViewerShowClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: any objects Description: Listing Viewer Show Button pressed	

uiListingViewerHideClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiListingViewerHideClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: any objects Description: Listing Viewer Hide Button pressed	
uiListingSwitchClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiListingSwitchClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: any objects Description: Listing Viewer Switch Button pressed	

Next / Previous Playlist Content Buttons Events

Next / Previous Playlist Content Buttons Events	
String Identify	Data
uiNextClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiNextClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Play next content	
uiNextOver	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiNextOver" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Mouse Over Next button	
uiNextOut	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiNextOut" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Mouse Out Next button	

uiPreviousClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPreviousClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Previous button pressed	
uiPreviousOver	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPreviousOver" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Mouse over Previous button	
uiPreviousOut	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPreviousOut" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.listingviewers.ListingViewerComander Description: Mouse out Previous button	

Next / Previous Chapters Buttons Events

Next / Previous Chapters Buttons Events	
String Identify	Data
uiNextPartClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiNextPartClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Next chapter button pressed	
uiNextPartOver	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiNextPartOver" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Mouse over Next chapter button	

uiNextPartOut	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiNextPartOut" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Mouse out Next chapter button	
uiPreviousPartClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPreviousPartClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Previous chapter button pressed	
uiPreviousPartOver	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPreviousPartOver" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Mouse over Previous chapter button	
uiPreviousPartOut	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPreviousPartOut" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Mouse out Previous chapter button	
uiPartOut	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPartOut" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Mouse out Chapter time point button in time menu	
uiPartOver	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPartOver" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Mouse over Chapter time point button in time menu	

uiShowPartsClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiShowPartsClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Show Parts button click	
uiHidePartsClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiHidePartsClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Hide Parts button click	
uiPartsSwitchClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiPartsSwitchClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.chaptersviewer.ChaptersViewer Description: Hide / Show Parts switch button click	

Timeline Button Events

Timeline Button Events	
String Identify	Data
uiSeekClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiSeekClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BTimeline Description: Show Timeline button pressed	
uiSeekHide	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiSeekHide" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BTimeline Description: Hide Timeline button pressed	

Fullscreen Button Events

Fullscreen Button Events	
String Identify	Data
uiFullscreenClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiFullscreenClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.utilities.SntFullscreenUtils Description: Fullscreen button pressed	
uiExitFullscreenClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiExitFullscreenClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.utilities.SntFullscreenUtils Description: Exit Fullscreen button pressed	

Sound Button Events

Sound Button Events	
String Identify	Data
uiSoundClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiSoundClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BSound Description: Sound button pressed	
uiSoundMuteClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiSoundMuteClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.media.GlobalSoundController Description: Sound Mute button pressed	

Copy Embed Code and Copy Video Page Link Button Events

Copy Embed Code and Copy Video Page Link Button Events	
String Identify	Data
uiEmbedClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiEmbedClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.utilities.EmbedCodeCreator Description: Copy Embed Code button pressed	
uiCopylinkClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiCopylinkClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.utilities.LinkCodeCreator Description: Copy Video Page Link button pressed	

Submenu Button Events

Submenu Button Events	
String Identify	Data
uiShowSubMenuClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiShowSubMenuClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.submenu.BSubMenu Description: Show submenu button pressed	
uiHideSubMenuClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiHideSubMenuClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.modules.submenu.BSubMenu Description: Hide submenu button pressed	

Zoom Button Events

Zoom Button Events	
String Identify	Data
uiZoomClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiZoomClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.GUI.bubblecontrols.BZoom Description: Hide submenu button pressed	
uiZoomSwitchClick	MediaEvent Object (com.sonettic.media.MediaEvent) MediaEvent.type = "uiZoomSwitchClick" MediaEvent.target =Current Event Owner MediaEvent.value = null
Listener: com.sonettic.holders.SntZoomHolder Description: Switch zoom button pressed	